

Index

- 2-norm
 - see norm, 445
- Absolute quadric constraint, 174, 197, 205, 225, 292, **293**, 399
- Adjoint map, 37, 40
- Affine group $A(n)$, **448**
- Affine least-variance estimator, **463**
- Affine matrix, 448
- Affine motion model, 81, 88, 254, 383
- Affine projection, 74, 431
- Albedo, 67
- Algorithm
 - Basic feature tracking and optical flow, 88
 - Canny edge detector, 93
 - Continuous eight-point algorithm, 150
 - Continuous four-point algorithm for a planar scene, 158
 - Eight-point algorithm, 120
 - Eight-point algorithm for the fundamental matrix, 211
 - Eight-point algorithm with refinement, 392
 - Epipolar rectification, 406
 - Exhaustive feature matching, 386
 - Factorization algorithm for multiple-view reconstruction, 280
 - Four-point algorithm for a planar scene, 139
 - Harris corner detector, 91
 - Multibody structure from motion algorithm, 248
 - Multiple-view structure and motion estimation algorithm, 396
 - Multiscale iterative feature tracking, 382
 - Number of independent motions and the multibody fundamental matrix, 236
 - Optimal triangulation, 167
 - Point feature detection, 379
 - Projective reconstruction – two views, 394
 - RANSAC feature matching, 388
 - Recovery of the absolute quadric and Euclidean upgrade, 401
 - Structure and motion filtering
 - Initialization, 422
 - Iteration, 423
 - Subfilter, 425
 - Angular velocity, 32
 - Aperture problem, 78, 83, **85**, 87

- Armijo rule, 484
- Autocalibration
 - see calibration, 174
- Autonomous car, 4, 427–432, 438
- Autonomous helicopter, 4, 432–438

- Baseline, **112**, 123, 179, 380
- Basis, 42, **443**
 - change of basis, 444
 - monomial basis, 231
 - standard basis of \mathbb{R}^n , 444
- Bidirectional reflectance distribution
 - function (BRDF), 67
- Bilinear constraint, **111**, 233, 234, 274, 305–307
 - invariant property, 299
 - multibody, 233
- Blank wall problem, 78, 83, 87
- Body coordinate frame, 21
- BRDF, **67**
 - Lambertian surface, 67
- Brightness constancy constraint, **80**, 143
 - continuous version, **85**
- Brownian motion process, 415
- Bundle adjustment, 128, 167, 170, 397, 402
 - two-view case, 128

- Calibration, 55, 171–227, 377
 - calibration matrix K , **55**, 171, 365, 391
 - calibration rig, 226
 - continuous motion, 210, 227
 - critical motions, 293
 - extrinsic calibration parameters, 56
 - filtering, 422
 - focal length, 55, 422
 - from orthogonality, 226
 - from partial scene knowledge, 199
 - from reflective symmetry, 365
 - from rotational symmetry, 366
 - from symmetry, 365
 - from translational symmetry, 365
 - from vanishing points, 226
 - intrinsic parameter matrix K , 55
 - principal point, 54
 - radial distortion, 58
 - rotating camera, 196, 226
 - scaling of pixels, 54
 - skew factor, 55
 - special motions, 226
 - stereo rig, 226
 - taxonomy of calibration procedures, 172
 - varying focal length, 226, 400
 - with a planar pattern, 202
 - with a rig, 201
- California PATH, 4, 427, 438
- Camera
 - an ideal camera model, 52–53
 - camera coordinate frame, 21, 51, 53
 - intrinsic parameters, 53
 - omnidirectional, 58
 - perspective projection, 49
 - planar, 57
 - spherical, 57
 - pinhole camera, 49
 - frontal, 50
- Canny edge detector, 93, 105
- Canonical decomposition
 - of fundamental matrix, 181, 189, 208
- Canonical exponential coordinates
 - rigid-body motion, 33
 - rotation, 27
- Canonical frame
 - canonical retinal frame, 53
 - of a symmetric structure, 343
- Canonical pose, **344**, 344–358
- Cartesian coordinate frame, 16
- Catadioptric model, 58
- Causality, 412, 415, 418, 467
- Cayley-Hamilton theorem, 472
- Change of basis, 24, 444, 467
- Cheirality constraint, 223, 394
- Cholesky factorization, 184, 204, **455**, 468
- Coimage, **60**, 265, 295, 320, 452
 - of epipolar lines, 112
 - rank condition
 - geometric interpretation of W_l , 271
 - geometric interpretation of W_p , 271
 - of a line, 270
 - of a point, 269
 - uncalibrated, 295
- Condition number, **460**
- Conditional density, 418
- Conditional expectation, 464
- Conjugate group, 175, 347
- Conjugation
 - of quaternions, 40

- Connected component analysis, 94
- Constraint
 - absolute quadric constraint, 174, 197, 292, 399
 - beyond four views, 331
 - bilinear constraint, 111, 274
 - brightness constancy constraint, 80, 85
 - cheirality constraint, 223
 - continuous homography constraint, 155
 - epipolar constraint, 111, 274
 - continuous, 143
 - multibody, 234
 - homography constraint, 134
 - image matching constraint, 79
 - Kruppa's equation, 205
 - line-point-line, 322
 - line-point-point, 322
 - mixed trilinear constraint, 288
 - modulus constraint, 193
 - nonlinear constraints among multiple views, 284
 - point-line-line, 322
 - point-line-plane, 323
 - point-point-line, 321
 - quadrilinear constraint, 315
 - trilinear constraint, 275, 284
- Continuous epipolar constraint, **143**
 - equivalent forms, 144
- Continuous essential matrix, **144**
 - for aircraft kinematics, 152
 - normalized, 144
 - space of, 144
- Continuous homography, 154–158
 - constraint, 155
 - matrix, **155**
 - decomposition, 157
 - eigenvalues, 156
 - estimation, 155
 - normalization, 156
- Coordinate frame
 - body coordinate frame, 21
 - camera coordinate frame, 21, 51, 53
 - image coordinate frame, 51, 53
 - object coordinate frame, 21
 - world coordinate frame, 51
 - world reference frame, 21
- Coordinate transformation, 34, 40, 444
 - rigid-body motion, 29, 34
 - rotation, 24
 - velocity, 36
- Corner detection, 91, 378, 435, 436
 - Harris corner detector, 91, 378
- Correspondence, 76, 380, 385
 - normalized cross-correlation (NCC), 89
 - of geometric features, 76
 - of line features, 93
 - of point features, 76
 - sum of squared differences (SSD), 87
- Covariance, 420, 423, 425, 466, 473–476, 478
 - matrix, 415, 418, 467, 468, 473
 - of estimation error, 421, 422, 466
 - of prediction error, 477
 - of the innovation, 475
 - posterior uncertainty, 466
 - prior uncertainty, 466
- Critical motion, 400
- Critical motions, 293
- Critical surface, 123, 162, 169
 - a plane, 134
 - quadratic surfaces, 162
 - uncalibrated case, 209
- Cross product, **17**, 456
- Cyclic group C_n , 343, 369
- Decomposition
 - of continuous homography matrix, 157
 - of essential matrix, 115
 - of fundamental matrix, 181
 - of homography matrix, 136
 - of reflective homography, 369
 - of rotational homography, 369
 - of state-space, 419
 - of symmetric epipolar component, 147
 - of translational homography, 368
 - of trifocal tensor, 302
 - QR decomposition, 449
 - singular value decomposition, 457
- Dense matching, 407
- Dense reconstruction, 377
- Depth scale vector, 267
- Dihedral group D_n , 343
- Dot product
 - see inner product, 444
- Drift, 420
- Duality, 318, 326
 - between coplanar points and lines, 318
- Dynamical scale ODE, 153

- Dynamical system, 413
 - discrete-time nonlinear, 416
 - initial condition, 469
 - input, 469
 - linear dynamical system, 468
 - linear Gaussian model, **469**, 473
 - minimal realization, 419
 - motion and structure evolution, 414
 - nonlinear dynamical system, 414, 476
 - observability, 415, 471
 - output, 414, 469
 - realization, 418
 - state, 413, 469
 - state transition matrix, 469
- Edge detection, 93
 - active contour methods, 105
 - Canny edge detector, 93, 105
 - constant curvature criterion, 105
- Eigenvalue, 91, 94, 156, **453**
- Eigenvector, 94, **453**
- Embedded epipolar line, **243**
- Embedded epipole, **237**, 240
- Epipolar constraint, 10, **111**, 274, 305, 388
 - continuous epipolar constraint, 143
 - continuous planar case, 155
 - from rank condition, 160
 - multibody, 230, 234
 - planar case, 134–142, 154–159
 - two-body, 231
 - uncalibrated, 177–181
- Epipolar geometry, 110–116, 177, 229, 252
 - continuous case, 142–159, 170
 - critical surface, 123, 162
 - distance to an epipolar line, 161
 - epipolar line, **112**, 129, 179, 242, 243, 245, 404
 - embedded, 243
 - multibody, 243
 - parallel, 160
 - epipolar plane, **112**, 129, 179
 - epipolar transfer, 178, 244, 250, 252
 - multibody, 244, 252
 - epipole, **112**, 179, 237, 242, 245, 366, 404, 405
 - embedded, 237, 240
 - multibody, 245
 - four solutions, 161
 - from reflective symmetry, 372
 - multibody, 229–248
 - pure translation, 193
 - uncalibrated, 177
- Epipolar matching lemma, **179**, 404
- Epipolar rectification, **404**, 404–407
- Equivalence class, 416, 417
 - under similarity group, 416
- Equivalent views, 340, **345**, 368
- Essential constraint
 - see epipolar constraint, 111
- Essential matrix, **111**, 117
 - continuous essential matrix, 144
 - decomposition, 115
 - estimation, 117
 - from homography matrix, 141
 - from reflective symmetry, 351
 - from rotational symmetry, 354, 369
 - normalized, 120
 - of planar motion, 160
 - rectified, 161
 - space of, 113
 - SVD characterization, 114
 - the twisted pair solutions, 116
- Essential space, **113**
- Euclidean group $E(2)$, 347
- Euclidean group $E(3)$, 20, 342
- Euclidean group $E(n)$, **449**
- Euclidean norm
 - see norm, 445
- Euler angles, 41, 42
 - YZX Euler angles, 42
 - ZYX Euler angles, 42
 - ZYZ Euler angles, 42
- Exponential coordinates, 27, 33, 403, 418
 - for rigid-body motion, 33
 - for rotation matrix, 27, 418
- Exponential map
 - of $SE(3)$, 33
 - of $SO(3)$, 26
- Extrinsic calibration parameters, 56, 172
- Façade, 411
- Factorization
 - Cholesky factorization, 455
 - multibody fundamental matrix, 248
 - multiple-view rank condition, 278
 - orthographic projection, 11

- polynomial factorization, 231, 243, 244, 247, 250, **255**
- rank-based methods, 308, 396
- uncalibrated multiple-view, 289
- Feature, 76, 78
 - correspondence, 76, 376, 380–389
 - edge features, 93
 - geometric features, 77
 - line features, 83, 94
 - matching, 79, 436
 - photometric features, 77
 - point features, 83, 87, 90, 91
 - selection and detection, 90, 376, 378–380
 - corner detection, 91
 - edge detection, 93
 - tracking, **85**, 90, 105, 380–384, 420, 421
- Field of view (FOV), **50**, 62
- Filter
 - derivative filter, 101
 - Gaussian filter, 101
 - reconstruction filter, 100
 - separable filter, 102, 104
 - smoothing filter, 104
 - Sobel filter, 104
 - sync function, 100, 102
- Filtering, 414
 - drift, 420
 - extended Kalman filter, 422, 476–478
 - Kalman filter, 468–478
 - motion and structure estimation, 414
 - optimal filter, 415
 - subfilter, 421, 425
 - whitening filter, 468
- Finite-rank operator fundamental lemma, 453
- Fixation point, 431
- Fixed rank approximation, 209, **461**
- Focal length, 48, **49**, 55, 400, 422
- Focal plane, 48
- Focus, 48
- Foreshortening, **66**
- Fourier transform, 100
- Frobenius norm, 119, 149, 161, **455**, 461
- Fundamental equation of the thin lens, 48
- Fundamental matrix, **178**, 252, 301, 365, 388, 392, 393
 - among three views, 300
 - associated identities, 208
 - canonical decomposition, 189, 207, 208, 393
 - decomposition, 181
 - degrees of freedom, 289, 292
 - equivalent forms, 178
 - estimation, 225
 - from reflective symmetry, 366
 - from rotational symmetry, 366
 - from symmetry, 365
 - from translational symmetry, 365
 - from trifocal tensor, 302
 - multibody, 233
 - nonlinear refinement, 213, 392
 - normalization, 220
 - parameterization, 213, 392
 - planar motion, 208
 - pure translation, 208
- Gauss-Newton method, **483**
- Gaussian filter, 101, 103, 378
- Gaussian noise, 127, 415, 468, 473, 476
- Gaussian random vector, 413
- General linear group $GL(n)$, **447**
- Generalized inverse
 - see pseudo-inverse, **460**
- Generalized principle component analysis, 258
- Geometric features, 77
- Geometric information in M_l , 286
- Geometric information in M_p , 274
- Global positioning system (GPS), 432
- Gradient, **481**
 - image gradient, 85, 99
- Gram-Schmidt procedure, **450**, 467
- Group, **447**
 - affine group $A(n)$, 448
 - circular group \mathbb{S}^1 , 294
 - conjugate group, 175, 347
 - cyclic group C_n , 343
 - dihedral group D_n , 343
 - Euclidean group $E(2)$, 347
 - Euclidean group $E(3)$, 20
 - Euclidean group $E(n)$, 449
 - general linear group $GL(n)$, 447
 - homography group, 347
 - matrix groups, 446
 - matrix representation, 22, **447**
 - orthogonal group $O(n)$, 448

- permutation group \mathfrak{S}_n , 234
- planar rotation group $SO(2)$, 28
- rigid-body motions $SE(3)$, 22
- rotation group $SO(3)$, 24, 38
- screw motions $SO(2) \times \mathbb{R}$, 34
- similarity group $SE(3) \times \mathbb{R}_+$, 416
- special Euclidean group $SE(3)$, 22
- special Euclidean group $SE(n)$, 449
- special orthogonal group $SO(3)$, 24
- special orthogonal group $SO(n)$, 449
- symmetry group, 342
- unit quaternions \mathbb{S}^3 , 41
- Groupoid, 346, 371

- Hamiltonian field
 - see quaternion field, 41
- Harris corner detector, 91, 378
- Hat operator “ \wedge ”, **18**, 113, 456
 - twist, 32
- Hessian matrix, **481**
- Hilbert space
 - of random variables, 464
- Hilbert’s 18th problem, 371
- History of a random process $\mathcal{H}_t(\cdot)$, 467
- Homogeneous coordinates, 162
- Homogeneous equality “ \sim ”, 58, 60, **71**, 197, 199, 346, 365
- Homogeneous polynomial, 245, 255
 - factorization, 255
- Homogeneous representation, **29**, 70, 264, 448
 - of a rigid-body motion, 30
 - of affine transformation, 448
 - of point coordinates, 30
 - of projective space, 70
- Homography, **132**, 131–142, 155, 182, 318, 322, 429, 447
 - constraint, 134
 - continuous homography, 155
 - matrix, 155
 - four-point algorithm, 139
 - from essential matrix, 141
 - from rank condition, 318, 322
 - from reflective symmetry, 366
 - from rotational symmetry, 369
 - from translational symmetry, 365
 - homography matrix, 132
 - decomposition, 136
 - estimation, 133, 163
 - normalization, 135
 - matching homography, 404, 405
 - of epipolar lines, 133, 163
 - pure rotation case, 134, 196
 - reflective, 347
 - rotational, 347
 - translational, 347
 - two physically possible solutions, 164
 - uncalibrated, 209, 214
 - w.r.t. the second camera frame, 163
- Homography group, 347
- Hough transform, 94, 105, 380, 429

- Image, 46, **49**, 61, 295, 320
 - brightness, 47
 - coimage, 60
 - of a line, 60, 265, 270
 - of a point, 60, 265, 269
 - deformations, 78
 - formation process, 51
 - image motion, 80
 - intensity, 48, 68
 - irradiance, 48, 68
 - local deformation model, 80
 - affine model, 81
 - projective model, 81
 - translational model, 80
 - of a line, 60, 265
 - of a point, 49, 265
 - of circles, 326
 - preimage, 60
 - from multiple views, 266
 - of a line, 60, 265
 - of a point, 60, 265
 - uncalibrated, 295
- Image matching constraint, **79**
- Image cropping, 63
- Image gradient, 85, 99–104
- Image warping, 381
- Incidence relations, **310**, 313
 - associated rank conditions, 330
 - collinear, 313, 331
 - coplanar, 316
 - in images, 312
 - in space, 310
 - intersection at a point, 313
 - of a box, 323
 - with spirals, 328
- Indistinguishable, 417

- Infinite rapport, 340
- Inner product, 17, 38, 174, **444**
 - canonical inner product, 17, 444
 - induced from a matrix, 445
 - uncalibrated, 174
- Innovation, 450, 467, **468**
 - random processes, 468
- Intel's OpenCV, 204
- Intrinsic parameter matrix K , **55**, 171, 365
- Irradiance, 47, 48, **66**, 69, 78, 79, 87
 - irradiance equation, **69**, 79
- Jacobian matrix, 239, 398, 476, **483**
 - of Veronese map, 239
- Kalman filter, 414, 415, 418, 420, 429, 437, 450, **468**
 - extended Kalman filter, 414, 476–478
 - intuition, 469
 - linear Kalman filter, 472–475
 - motion and structure estimation, 422–426
- Kalman gain, 468, 471, **474**, 475
- Kalman-Bucy filter
 - see Kalman filter, 468
- Kernel
 - of Lyapunov map, 195, 351, 354
 - see null space, **451**
 - symmetric real kernel, 195
- Klein's Erlangen program, 9
- Kronecker product, 117, 118, 155, 232–234, **445**
- Kruppa's equation, 174, **205**, 214–225
 - degeneracy, 220
 - focal length, 209
 - normalization, 219
 - normalized, **205**, 219–222, 366
 - number of constraints, 215, 220, 223
 - other forms, 209
 - pure translation, 208
 - time-varying, 208
- Lagrange multiplier method, 165, **484**
- Lagrange multipliers, 128, 165, **485**
- Lagrangian function, 166, 485
 - augmented, **486**
- Lambertian, **67**, 79, 375
 - BRDF, 67
 - surface, 67
 - surface albedo, 67
- Least-squares estimator, 86, 89, 118, 127, 153, 202, 211, 464
- Least-variance estimator, 127, **463**
 - affine, 463, 465–468
 - linear, 463
 - the affine vector case, 465
 - the linear scalar case, 464
- Levenberg-Marquardt method, 398, **483**
- Lie bracket, 28, 33
- Lie-Cartan coordinates, 42
- Line at infinity, 71
- Line fitting, 94
- Linear independence, **442**
- Linear space, **441**
 - basis, **443**
 - change of basis, 444
- Linear transformation, **446**
- Linear velocity, 32
- Linearization, 423, 476
- LMedS, 387, 390
- Logarithm
 - of $SE(3)$, 33
 - of $SO(3)$, 27, 419
- Lyapunov equation, 195, 207, 346, **456**
 - reflective, 351
 - rotational, 354
- Lyapunov map, 195, 206, **456**
- Markov property, 469
- Matching
 - affine model, 81, 386
 - dense matching, 407
 - image matching constraint, 79
 - normalized cross-correlation, 89
 - point feature, 82–92, 436
 - projective model, 81
 - robust matching, 385–390
 - sum of squared differences, 87
 - translational model, 80, 386
- Matrix
 - affine matrix, 448
 - eigenvalues, 453
 - eigenvectors, 453
 - essential matrix, 111
 - continuous version, 144
 - fixed rank approximation, 461
 - fundamental matrix, 178

- multibody, 233
 - generalized inverse, 460
 - homography matrix, 132
 - continuous version, 155
 - image matrix, 267
 - minor, 297
 - multiple-view projection matrix, 267
 - null space, 451
 - orthogonal matrix, 23, 448
 - special orthogonal matrix, 23, 449
 - projection matrix, 57, 266
 - general Π , 56
 - standard Π_0 , 53
 - projective matrix, 447
 - pseudo-inverse, 460
 - range, 451
 - rank, 451
 - rotation matrix, 24
 - skew-symmetric matrix, 455
 - stack of a matrix, 445
 - symmetric epipolar component, 144
 - symmetric matrix, 454
 - Vandermonde matrix, 239, 329
- Matrix exponential, 26, 32
- Matrix groups, 446, 449
- Matrix inversion lemma, 466
- Matrix Kruppa's equation
 - see Kruppa's equation, 205
- Matrix representation of a group, 447
- Matte surface
 - see Lambertian surface, 67
- Maximum a posteriori, 127
- Maximum likelihood, 126
- Metric, 17, 175, **444**
 - uncalibrated, 175
- Minimization rule, 484
- Minor of a matrix, 274, 275, 284, 297, 308
- Modulus constraint, 193, 205, 209, 225
- Monomials, 231–233, 236, 253
- Moore Penrose inverse
 - see pseudo-inverse, **460**
- Motion segmentation, 248
 - affine flows, 254
 - constant velocity, 254
 - linear motions, 254
 - planar motion, 254
 - two objects, 254
- Multibody
 - constant motions, 254
 - embedded epipolar line, 243
 - for two bodies, 244
 - embedded epipole, 237
 - epipolar constraint, 230, **234**
 - epipolar geometry, 123, 237–248, 252
 - fundamental matrix, **233**, 234, 235,
 - 237, 239, 242, 244, 249, 250, 252
 - factorization, 248
 - rank, 238, 255
 - linear motions, 254
 - motion segmentation, 242, 248
 - multibody epipolar line, **243**, 245, 252
 - for two bodies, 244
 - multibody epipole, **245**, 250, 252
 - number of motions, 235
 - planar motions, 254
 - structure from motion algorithm, 248
 - structure from motion problem, 230
- Multilinear function, 233, 297
- Multiple-view factorization, 278–282,
 - 291–292, 346
 - calibrated camera, 279
 - for coplanar features, 330
 - for symmetric structure, 346
 - for the line case, 304
 - uncalibrated camera, 291
- Multiple-view geometry, 8, 263
- Multiple-view matrix, 8, 226, **273**,
 - 273–289, 291, 314, 316, 317, 321, 327, 346
 - degenerate configurations, 298
 - equivalent forms, 291
 - for a family of intersecting lines, 314
 - for coplanar points and lines, 317, 323
 - for intrinsic coplanar condition, 320
 - for line features, 283
 - for mixed point and line features, 321
 - for point features, 273
 - geometric information in M_l , 286
 - geometric information in M_p , 274
 - geometric interpretation, 322, 329
 - pure rotation, 298, 299
 - rectilinear motion, 298
 - symmetric, 346
 - universal, 321
 - various instances, 321, 333–337
- Multiple-view projection matrix, **267**
- NCC, **89**, 386–388, 407, 431

- Newton's method, 482
- Norm, 17, **444**
 - 2-norm, 444
 - Euclidean norm, 445
 - Frobenius norm, 455
 - induced of a matrix, 455
- Normal distribution, 127, 214, 415
- Normalization
 - of continuous essential matrix, 144
 - of continuous homography matrix, 156
 - of essential matrix, 120
 - of fundamental matrix, 220
 - of homography matrix, 135, 369
 - of image coordinates, 212
 - of Kruppa's equation, 219
- Normalized cross-correlation
 - see NCC, 89
- Normalized Kruppa's equation, 205
 - from rotational symmetry, 366
- Null space, 39, 327, **451**
- Nyquist frequency, 100
- Nyquist sampling theorem, 100

- Object coordinate frame, 21
- Observability, 415, 417, 471, 472
 - up to a group, 417
 - up to a similarity transformation, 417
- Occlusion, 82, 389, 390, 398, 407, 420
- OpenCV, 204
- Optical axis, 48
- Optical center, 48
- Optical flow, **85**, 90, 143
 - affine flows, 254
 - normal flow, 85
- Optimal triangulation, 128, 167
- Optimization
 - constrained, **484**, 484–486
 - Gauss-Newton method, **483**
 - Lagrange multiplier method, **484**
 - Levenberg-Marquard method, **483**
 - Newton's method, 482
 - objective function, 479
 - objectives for structure and motion
 - estimation, 125
 - on a manifold, **480**
 - optimality conditions, 481, 485
 - steepest descent method, 482
 - unconstrained, **480**, 480–484
- Orbital motion, 219, 294, 354, 369

- Orientation, 17, 342
 - orientation preservation, 20
- Orthogonal, **445**
 - random variables, 464
 - vectors, 17
- Orthogonal complement, **452**
 - coimage, 60, 265, 321, 452
- Orthogonal group $O(3)$, 161, 342
- Orthogonal group $O(n)$, **448**
- Orthogonal matrix, 23, 161, 448
- Orthogonal projection
 - of a random variable, **464**
 - of random variables, 466
 - onto a plane, 141
- Orthographic projection, 63, 64, 74
- Orthonormal frame, **21**

- Parallax, 123
- Paraperspective projection, 74
- Periodogram, 426
- Permutation group \mathfrak{S}_n , 234
- Perspective projection, 8, **49**
 - history, 9
- Photometric features, 77
- Photometry, 65
 - BRDF, 67
 - irradiance, 66
 - radiance, 66
- Photomodeler, 411
- Pictorial cues, 6
 - blur, 6
 - contour, 6
 - shading, 6
 - texture, 6
- Pinhole camera model, **49**
 - distortions, 73
 - frontal, 50
 - parameters, 53
- Planar homography
 - see homography, 131
- Planar motion, 160, 219, 254
 - essential matrix of, 160
 - fundamental matrix of, 208
- Planar symmetry, 347–348
- Plane at infinity, 71, 192, 224, 323, 329
 - from vanishing points, 192
- Platonic solids, 341, 368
 - cube, 341, 368
 - dodecahedron, 341, 368

- icosahedron, 341, 368
- octahedron, 341, 368
- tetrahedron, 341
- Plenoptic sampling, 410
- Point at infinity, 71, 298
 - vanishing point, 71
- Polarization identity, 20
- Polynomial factorization, 231, 244, **255**
 - degenerate cases, 257
- Positive definite, 174, 204, 220, **454**
- Positive depth constraint, 123, 136, 137, 151, 158, 159, 161
- Positive semi-definite, **454**, 455
- Posterior density, 127
- Preimage, **60**, 61, 265
- Principal point, 54
- Prior density, 127
- Projection
 - affine projection, 74, 431
 - orthographic projection, 63, 74
 - paraperspective projection, 74
 - perspective projection, 49
 - planar, 57
 - spherical, 57, 73
 - weak-perspective projection, 64
- Projection matrix, 53, **56**, 71
 - degrees of freedom, 292
 - multiple-view projection matrix, 267
 - standard projection matrix Π_0 , **53**
- Projection onto
 - $O(3)$, 161
 - a plane, 141
 - essential space, 118
 - symmetric epipolar space, 149
- Projective geometry, 8, 9, 70
- Projective matrix, 182, 447
- Projective motion model, 81
- Projective reconstruction, 391
 - from multiple views, 394
 - from two views, 391
- Projective space, 70, 323
 - homogeneous representation, 70
 - line at infinity, 71
 - plane at infinity, 71
 - topological models, 70
 - vanishing point, 71
- Pseudo-inverse, 352, 401, **460**
- QR decomposition, 182, 183, 202, **450**
- Quadrilinear constraint, 307, **315**
- Quasi-affine reconstruction, 224, 394
- Quasi-Euclidean reconstruction, 226
- Quaternions, 40, 43
 - quaternion field \mathbb{H} , 41
 - unit quaternions \mathbb{S}^3 , 41
- Radial distortion, 58, 134
 - correction factor, 58
- Radiance, **66**, 69, 79
- Radon transform, 94, 99
- Random processes, 418, 462, 467, 468
 - Brownian motion process, 415
 - conditional density, 418
 - history up to time t , 467
 - innovation, 468
 - Markov property, 469
 - periodogram, 426
 - uncorrelated, 467, 473
 - white Gaussian noise, 468
 - whiteness, 426
- Random variables, 462
 - Gaussian random variable, 82, 127
 - normal distribution, 415
 - Poisson random variable, 82
- Random vectors, 462, 463, 467
 - covariance matrix, 415
 - Gaussian random vector, 413
- Range, 39, **451**
- Rank, **451**
- Rank condition, 8, 226, 390, 396
 - beyond four views, 328, 331
 - continuous motion, 304
 - coplanar points and lines, 317
 - features in plane at infinity, 323, 329
 - for epipolar constraint, 160
 - for incidence relations, 313, 330
 - geometric interpretation, 276, 284, 322, 333–337
 - high-dimensional spaces, 330
 - invariant property, 299
 - multibody fundamental matrix, 238, 239, 255
 - multiple images of a line, 284
 - multiple images of a point, 273
 - number of motions, 235
 - numerical sensitivity, 299
 - on submatrix, 331
 - point at infinity, 298

- symmetric multiple-view matrix, 346
- T-junction, 327
- universal multiple-view matrix, 321
- Rank reduction lemma, 269, **453**
- RANSAC, 387, 388, 431
 - feature matching, 388
- Realization, 418
 - minimal realization, 419
- Reconstruction up to subgroups, 210
- Rectilinear motion, 298
- Recursive algorithm, 413
- Reflection, 20, 340, 342, 350
- Reflective homography, 347, 352, 366, 369
- Reflective symmetry, 340, 349, 350, 353, 369
 - degeneracy, 369
 - for camera calibration, 365
 - planar, 347, 352
 - pose ambiguity, 353
- Representation
 - homogeneous representation, 29, 70, 264, 448
 - matrix representation of a group, 447
 - matrix representation of rigid-body motion, 30
 - matrix representation of rotation, 23
 - matrix representation of symmetry group, 343
- Reprojection error, 127, 128, 214, 388, 392, 397, 398, 402
- Riccati equation, 425, 475
- Right-hand rule, 18
- Rigid-body displacement, 19
- Rigid-body motion, 19, **20**, 28–34, 416, 449
 - canonical exponential coordinates, 33
 - composition rules, 36
 - coordinate transformation, 29, 34
 - group $SE(3)$, 22
 - homogeneous representation, 30
 - rotation, 21
 - translation, 21
 - velocity transformation, 36
- Rodrigues' formula, **27**, 115, 403, 419
- Rotation, 21–28, 161
 - about the Z -axis, 24
 - canonical exponential coordinates, 27
 - eigenvalues and eigenvectors, 39
 - Euler angles, 41, 42
 - first-order approximation, 25
 - group $SO(3)$, 24
 - invariant conic, 207
 - inverse of, 23, 24
 - Lie–Cartan coordinates, 41
 - matrix representation, 23
 - multiple-view matrix for lines, 299
 - multiple-view matrix for points, 298
 - noncommutativity, 39
 - planar rotation group $SO(2)$, 28
 - quaternions, 40
 - topological model for $SO(3)$, 41
 - yaw, pitch, and roll, 42
- Rotational homography, 347, 369
- Rotational symmetry, 340, 349, 354, 355, 368, 369
 - degeneracy, 369
 - for camera calibration, 366
 - planar, 347
 - planotic solids, 368
 - pose ambiguity, 355
- Sampson distance, 214, 388, 392
- Scale
 - alignment of cells in an image, 358
 - alignment of cells in two images, 358
 - dynamical scale ODE, 153
 - of fundamental matrix, 219
 - perspective scale ambiguity, 64
 - scaling of pixels, 54
 - structural scale reconstruction, 124, 152
 - universal scale ambiguity, 125, 154
- Screw motion, **33**, 217, 219, 355
- Segmentation
 - of 0-D data, 252
 - of affine flows, 254
 - of multiple rigid motions, 248, 250
- Seven-point algorithm, 122
 - fundamental matrix, 213
- Similarity group $SE(3) \times \mathbb{R}_+$, 416
- Similarity transformation, 416
- Singular value, 91, 92, **458**
- Singular value decomposition
 - see SVD, **457**
- Six-point algorithm, 122, **162**
 - three view, 307
- Skew factor, 55
- Skew field

- see quaternion field, 41
- Skew-symmetric matrix, 18, 38, 160, **455**
- Sobel filter, 104
- Solid angle, **66**
- Space carving, 410
- Span, **442**
 - of a matrix, 451
- Special Euclidean group $SE(3)$, **29**
- Special Euclidean group $SE(n)$, **449**
- Special Euclidean transformation, 20, **449**
- Special linear group $SL(n)$, **448**
- Special orthogonal group $SO(n)$, **449**
- Special orthogonal matrix, **449**
- Spherical perspective projection, 57, 73, 164
- Spiral, 328
- SSD, 87, 380
- Stack of a matrix, 117, 148, 155, 234, **445**
- State transition matrix, 26, 469
- Steepest descent method, 482
- Stereo rig, 226, 428
 - calibration, 226
- Stereopsis, 45
 - photometric stereo, 372
 - reflective stereo, 353
- Stratification, 186–198, 225, 289–294, 398
 - affine reconstruction, 192
 - Euclidean reconstruction, 194
 - from multiple views, 289
 - from two views, 186
 - projective reconstruction, 188
 - pure translation, 193
- Structure from motion, 8
 - multibody case, 230
- Structure triangulation, 167
- Subfilter, 421
- Subpixel accuracy, 99, 379
- Subspace, **442**
 - orthogonal complement, 452
 - spanned by vectors, 442
- Sum of squared differences
 - see SSD, 87
- SVD, 114, 120, 180, 202, 204, 211, 393, 395, 397, 401, **457**, 457–461
- Sylvester equation
 - see Lyapunov equation, 456
- Sylvester's inequality, 316, **451**
- Symmetric epipolar component, **144**
 - decomposition, 147
 - space of, 144
 - structure of, 145
- Symmetric matrix, **454**, 475
 - positive definite, 174, 220, **454**
 - positive semi-definite, 197, **454**, 466
- Symmetric multiple-view matrix, 346
- Symmetric structure, **342**
 - 2-D patterns, 369
 - planar, 347
- Symmetry, 122, 338–372, 377, 386
 - ambiguity in pose from symmetry, 358
 - comparison of 2-D and 3-D, 367
 - for camera calibration, 365
 - for feature matching, 372
 - infinite rapport, 340
 - multiple-view reconstruction, 358–364
 - of n -gons, 343, 370
 - of a cube, 368
 - of a landing pad, 435
 - of a rectangle, 343
 - of a tiled plane, 344
 - planar structure, 349
 - reflective symmetry, 340, 353
 - rotational symmetry, 340, 355
 - testing, 370
 - translational symmetry, 340, 355
- Symmetry group, **342**
 - cyclic group C_n , 343
 - dihedral group D_n , 343
 - homography group, 347
 - isometry, 342
 - matrix representation, 343
 - of n -gons, 343
 - of a rectangle, 343
 - of platonic solids, 368
 - planar symmetry group, 349
- T-junction, 327, 332
- Taylor expansion, 84, 383
- Taylor series, 28
- Tensor
 - trifocal tensor, 289, 303
- Texture mapping, 377, 409
- Theorem
 - Characterization of the essential matrix, 114
 - Characterization of the symmetric epipolar component, 145

- Chasles' theorem, 34
- Constraint among multiple images of a line, 284
- Critical motions for the absolute quadric constraints, 293
- Decomposition of continuous homography matrix, 157
- Decomposition of the planar homography matrix, 136
- Degeneracy of the normalized Kruppa's equations, 220
- Epipolar constraint, 111
- Factorization of the multibody fundamental matrix, 248
- Gram-Schmidt procedure, 450
- Kruppa's equations and cheirality, 223
- Lagrange multiplier theorem, 485
- Linear relationships among multiple views of a point, 275
- Logarithm of $SE(3)$, 33
- Logarithm of $SO(3)$, 27
- Multiple-view rank conditions, 321
- Normalization of Kruppa's equations, 219
- Normalization of the fundamental matrix, 220
- Pose recovery from the essential matrix, 115
- Projection onto the essential space, 118
- Projection onto the symmetry epipolar space, 149
- Projective reconstruction, 188
- Rank condition for the number of independent motions, 235
- Rank conditions for line features, 284
- Rank conditions for point features, 273
- Relationships between the homography and essential matrix, 140
- Rodrigues' formula for a rotation matrix, 27
- Singular value decomposition of a matrix, 457
- Unique canonical pose from a symmetry group, 349
- Uniqueness of the preimage (line), 287
- Uniqueness of the preimage (point), 278
- Velocity recovery from the symmetry epipolar component, 147
- Veronese null space of the multibody fundamental matrix, 240
- Thin lens, 48, 69
 - F-number, 69
 - fundamental equation, 48
- Tiling, 341, 344, 369
- Tracking
 - affine model, 88, 97, 382
 - contract compensation, 382
 - iterative, 382
 - large baseline, 88
 - line feature, 92–96
 - multiscale, 99, 381, 382
 - point feature, 85–90, 380–385
 - small baseline, 84
 - stereo tracking, 430
 - translational model, 84, 380
- Translation, 21
- Translational homography, 347, 365, 368
- Translational motion model, 80, 380
- Translational symmetry, 340, 355, 368
 - for camera calibration, 365
 - planar, 347, 356
 - pose ambiguity, 355
- Triangulation, **129**, 161, 167, 425, 432
 - lines, 297, 298
 - with reflective symmetry, 351
- Trifocal tensor, 289, 302, 303
 - basic structure, 302
 - decomposition, 302
 - degrees of freedom, 289, 292
 - linear estimation, 302
 - three-view geometry, 303
- Trilinear constraint, 11, 275, 284, **288**, 305–307
 - for line feature, 284
 - for mixed features, 288
 - for point feature, 275
 - invariant property, 299
- Triple product, **20**, 112
- Twist, **32**, 414
 - coordinates, 32
- Twisted pair, 116, 148
- UAV, 432, 438
- UGV, 432, 438
- Uncorrelated, 473
 - random processes, 467, 473
 - random variables, 464

- random vectors, 467
- Universal multiple-view matrix, 320, 321
- Universal scale ambiguity, 125, 154
- Unmanned aerial vehicle (UAV), 432
- Unmanned ground vehicle (UGV), 432

- Vandermonde matrix, 239, 329
- Vanishing point, 64, **71**, 192, 226, 365, 370
 - at infinity, 72
 - camera calibration, 192
 - detection and computation, 226
 - from parallel lines, 72
 - from reflective symmetry, 366
 - from translational symmetry, 365
- Variance, 468
 - covariance, 466
 - unit-variance noise, 473
- Variational model, 476, 477
- Vector, **16**, 441
 - a bound vector, **16**
 - a free vector, **16**
- Vector space, **441**
- Vee operator “ \vee ”, **19**
 - twist, 32
- Velocity, 32, 143, 152
 - angular velocity, 32
 - coordinate transformation, 36
 - image velocity, 143
 - linear velocity, 32
 - pitch rate, 152
 - roll rate, 152
 - yaw rate, 152
- Veronese map, **232**, 233, 234, 238, 240, 243
 - derivatives, 239
 - Jacobian matrix of, 239
- Veronese surface, 233, 240
- Virtual insertion, 5, 426
- Vision-based control, 438
- Visual feedback, 427, 432
- Volume preservation, 20

- Weak-perspective projection, 64
- Whitening filter, 468
- World reference frame, **21**, 22