

Face Verification across Age Progression using Discriminative Methods

Haibin Ling, *Member, IEEE*, Stefano Soatto, *Member, IEEE*, Narayanan Ramanathan, *Member, IEEE*,
and David W. Jacobs, *Member, IEEE*,

Abstract—Face verification in the presence of age progression is an important problem that has not been widely addressed. In this paper, we study the problem by designing and evaluating discriminative approaches. These directly tackle verification tasks without explicit age modeling, which is a hard problem by itself. First, we find that the gradient orientation (GO), after discarding magnitude information, provides a simple but effective representation for this problem. This representation is further improved when hierarchical information is used, which results in the use of the gradient orientation pyramid (GOP). When combined with a support vector machine (SVM) GOP demonstrates excellent performance in all our experiments, in comparison with seven different approaches including two commercial systems. Our experiments are conducted on the FGnet dataset and two large passport datasets, one of them being the largest ever reported for recognition tasks. Second, taking advantage of these datasets, we empirically study how age gaps and related issues (including image quality, spectacles, and facial hair) affect recognition algorithms. We found surprisingly that the added difficulty of verification produced by age gaps becomes saturated after the gap is larger than four years, for gaps of up to ten years. In addition, we find that image quality and eyewear present more of a challenge than facial hair.

Index Terms—Face verification, age progression, gradient orientation pyramid, support vector machine

I. INTRODUCTION

A. Background

Face verification is an important problem in computer vision and has a very wide range of applications, such as surveillance, human computer interaction, image retrieval, etc. A thorough survey can be found in [42]. A large amount of research effort has been focused on pursuing robustness to different imaging conditions, including illumination change, pose variation, expression, etc. Despite decades of study on face image analysis, age related facial image analysis has not been extensively studied until recently. Most of these works focus on age estimation [14], [15], [30], [43], [41], [8], [10], [11], [9], [24], [40] and age simulation [18], [35], [36], [38]. In

addition, some researchers study the effect of age progression on face profiles and appearances [31], [37], [32], [16].

Face verification across age has been subject to relatively little attention. Some previous work applies age progression for face verification tasks. When comparing two photos, these methods either transform one photo to have the same age as the other, or transform both to reduce the aging effects. One of the earliest works appears in Lanitis et al. [18], where a statistical model is used to capture the variation of facial shapes over age progression. The model is then used for age estimation and face verification. Ramanathan and Chellappa [31] use a face growing model for face verification tasks for people under the age of eighteen. This assumption limits the application of these methods, since ages are often not available. A recent work in Biswas et al. [4] studies feature drifting on face images at different ages and applies it to face verification tasks. Other studies using age transformation for verification include [9], [34], [40], [25], [26].

The above methods can be roughly categorized as generative methods since aging needs to be modeled. In fact, most of them use verification to evaluate the age modeling algorithm. While these methods explicitly address the aging issue, they usually require additional information about the images being compared, such as actual age. In addition, many landmark points are often used for modeling age progression or building statistical models. All the methods mentioned above use the 68 landmarks that are pre-labeled for each photo in the FGnet dataset [1]. Furthermore, both age estimation and age simulation are still open problems and may bring instabilities to the generative methods. To avoid these problems, we study discriminative methods that directly tackle the face verification problem.

Discriminative approaches have been used for face verification across age progression. The most related study to our work is [30], where the probabilistic eigenspace framework [22] is adapted for face identification across age progression. Instead of using a whole face, only a half face (called a PointFive face) is used to alleviate the non-uniform illumination problem. Then, eigenspace techniques and a Bayesian model are combined to capture the intra-personal and extra-personal image differences. An Eigenspace is also used in [17] in combination with a statistical model on the FGnet dataset [1] and in [33] on the MORPH dataset. We study the same task as that studied in [30]. As will be clarified in the following sections, our work differs from previous studies in both the representation (we use gradient orientation pyramids) and the classification frameworks (we use SVM). Part of this

Copyright (c) 2008 IEEE. Personal use of this material is permitted. However, permission to use this material for any other purposes must be obtained from the IEEE by sending a request to pubs-permissions@ieee.org

H. Ling is with the Department of Computer and Information Science, Temple University, Philadelphia, PA, 19122 USA (e-mail: hblling@temple.edu).

S. Soatto is with the Computer Science Department, University of California, Los Angeles, CA, 90092 USA (e-mail: soatto@cs.ucla.edu).

N. Ramanathan is with Cernium Corporation, Reston, VA, 20191 USA (e-mail: nramanathan@cernium.com).

D. W. Jacobs is with the Computer Science Department, University of Maryland, College Park, MD 20742 USA (e-mail: djacobs@cs.umd.edu).

Manuscript received xxx, 2009; revised xxx, 2009.




Fig. 1. Typical images with age differences. Top row: scanned passport or visa photos. Bottom row: photos from the FG-NET Aging Database [1].

work was published in a preliminary conference version [19].

B. Tasks and challenges

The goal of our study is two-fold. The first is to investigate representations and algorithms for verification. The second is to study the effect of age gaps and related issues (including image quality, spectacles, and facial hair) on verification algorithms. We use three datasets in our study. Two of them are passport datasets involving more than 1,800 subjects, which to the best of our knowledge are the largest datasets ever studied for the task. We also use the FG-NET Aging Database [1] that is widely used for image based face aging analysis.

The challenges of face verification across age progression are due to several sources. The first source is the biometric change over years, including facial texture (e.g., wrinkles as on the forehead in Fig. 1(i)), shape (e.g., weight gain, Fig. 1 d-f), facial hair (mustache and beard, e.g., Fig. 1(a-c,k-l)), presence of glasses (e.g., Fig. 1(d-e)), scars, etc. The second source is the change in the image acquisition conditions and environment, including the illumination conditions, the image quality change caused by using different cameras, etc. In addition, for images converted from non-digital photos, additional artifacts (e.g., saturation in Fig. 1(e)) sometimes appear due to scanning processes and sometimes the original photos are smudged. Some examples of these challenges are shown in Fig. 1.

C. Contribution

We make several contributions in this study. First, we propose using the gradient orientation pyramid (GOP) for the task. We show that, when combined with the support vector machine (SVM) [39], GOP demonstrates excellent performance for face verification with age gaps. This is mainly motivated by the illumination insensitivity of gradient orientation as shown in [6]. We conjecture in our preliminary work [19] that gradient orientation is robust to aging processes under some flexible conditions that are usually true in the context of face verification. The pyramid technique is used to capture hierarchical information that further improves the representation. Then, given a face image pair, we use the cosines between gradient orientations at all scales to build the feature vector. The feature vector is then combined with an SVM for face verification in a way similar to [27].

Our second contribution is thorough empirical experiments. We evaluated nine different approaches, including two baseline methods (l_2 norm and gradient orientation), four different representations with the same SVM-based framework (intensity difference [27], gradient with magnitude, gradient orientation, and GOP), the Bayesian face [30], and two commercial face verification systems. The evaluations are conducted on the three datasets mentioned above. To the best of our knowledge, this is the largest reported evaluation in both the size of dataset and the number of tested methods.

Our third contribution is the empirical study of how verification performance varies with increasing age gaps and related issues. We found surprisingly that the added difficulty of verification produced by age gaps becomes saturated after the gap is larger than four years, for gaps of up to ten years. This is observed with different image representations that have been tested. In addition, on the FGnet dataset, we observed that the image quality and presence of eye glasses bring more challenges than facial hair.

The rest of the paper is organized as follow. In Section II, we formulate the task of face verification using a support vector machine framework. Then, we introduce the gradient orientation pyramid in Section II-B. After that, Section III describes our experiments on two passport image datasets and the FG-NET dataset, which have large age separations. Section IV presents our empirical study of how age gaps affect verification algorithms. Section V reports the verification experiments on face images from children. Finally, Section VI concludes the paper.

II. PROBLEM FORMULATION

A. Face Verification Framework

In this paper, we study face verification tasks as in [30]. In verification, one must determine whether two images come from the same person, as opposed to recognition, in which an individual is identified from a large gallery of individuals. An advantage of this problem is that it does not require many images for each subject, which is often difficult for collections across aging. Furthermore, this problem directly relates to the passport renewal task that is important for the passport datasets in our experiments. In the task, a newly submitted photo needs to be compared with an old one, to ensure that the request is valid. Face verification as a two-class classification problem has been studied for general face analysis tasks. For example, Moghaddam et al. [23] used a Bayesian framework for the intra-personal and extra-personal face classification. Phillips [27] used SVM for face recognition problems and observed good results on the FERET database [28] compared to component based approaches. Jonsson et al. [13] used SVM for face authentication problems. All of the above methods use intensity (sometimes normalized intensity) as their representation. In comparison, we use the gradient orientation pyramid and apply the framework for problems involving large age differences.

As in [23], [27], [13], we model face verification as a two-class classification problem. Given an input image pair I_1 and I_2 , the task is to assign the pair as either *intra-personal* (i.e. I_1

and I_2 from the same people) or *extra-personal* (i.e. I_1 and I_2 from different individuals). We use a support vector machine (SVM) [39]. Specifically, given an image pair (I_1, I_2) , it is first mapped onto the feature space as

$$\mathbf{x} = \mathcal{F}(I_1, I_2), \quad (1)$$

where $\mathbf{x} \in \mathbb{R}^d$ is the feature vector extracted from the image pair (I_1, I_2) through the feature extraction function $\mathcal{F} : \mathcal{I} \times \mathcal{I} \rightarrow \mathbb{R}^d$ (\mathcal{F} will be described in the following subsections), \mathcal{I} is the set of all images, and \mathbb{R}^d forms the d -dimensional feature space.

Then SVM is used to divide the feature space into two classes, one for intra-personal pairs and the other for extra-personal pairs. Using the same terminology as in [27], we denote the separating boundary with the following equation

$$\sum_{i=1}^{N_s} \alpha_i y_i K(s_i, \mathbf{x}) + b = \Delta \quad (2)$$

where N_s is the number of support vectors and s_i is the i -th support vector. Δ is used to trade off the *correct reject rate* and *correct accept rate* as described in (3) and (4). $K(\cdot, \cdot)$ is the kernel function that provides SVM with non-linear abilities. In our experiments, we use the LibSVM library [5].

For verification tasks, the correct reject rate (CRR) and the correct acceptance rate (CAR) are two critical criteria,

$$\text{CRR} = \frac{\# \text{ correctly rejected extra-personal pairs}}{\# \text{ total extra-personal pairs}}, \quad (3)$$

$$\text{CAR} = \frac{\# \text{ correctly accepted intra-personal pairs}}{\# \text{ total intra-personal pairs}}, \quad (4)$$

where “accept” indicates that the input image pair are from the same subject and “reject” indicates the opposite. In addition, the *equal error rate* (EER), defined as the error rate when a solution has the same CAR and CRR, is frequently used to measure verification performance,

B. Gradient Orientation and Gradient Orientation Pyramid

Now we need to decide the representation for feature extraction, i.e., $\mathcal{F}(\cdot, \cdot)$. A natural choice is to use the intensity difference between I_1 and I_2 , which is called *difference space* in [23] and also has been used in [30], [27]. The difference space can be made robust to affine lighting changes by an appropriate intensity normalization. However, the affine lighting model is not always sufficient for face images, especially for images taken at times separated by years.

Motivated by previous study of the robustness of gradient orientation (GO) [2], [6], [3], [12], we propose to use GO for face verification across age progression. Specifically, in [6], GO is shown to be robust to illumination change and successfully applied for face recognition tasks. Furthermore, it has been shown in [37], [38] that the change of face color across age progression can be factored to two components, hemoglobin and melanin, according to skin anatomy. This observation inspired our preliminary study [19], which shows that the GO of each color channel of human faces is robust under age progression. In addition, we collect gradient orientation in a hierarchical way, which has been shown to retain most visual information as in [2], [12].




Fig. 2. Computation of a GOP from an input image I . Note: In (c), the figure is made brighter for better illustration.

Note that gradient-based representations are recently widely used in computer vision and pattern recognition tasks, such as the scale invariant feature transfer (SIFT) [20] for object and category classification and the histogram of orientation (HOG) [7]. In these works, the gradient directions were weighted by gradient magnitudes. In contrast, we discard magnitude information and use only orientations, which demonstrates significant improvement in our experiments (Sec. III). Furthermore, the gradient directions at different scales are combined to make a hierarchical representation.

Given an image $I(\mathbf{p})$, where $\mathbf{p} = (x, y)$ indicates pixel locations, we first define the pyramid of I as $\mathcal{P}(I) = \{I(\mathbf{p}; \sigma)\}_{\sigma=0}^s$ with:

$$\begin{aligned} I(\mathbf{p}; 0) &= I(\mathbf{p}), \\ I(\mathbf{p}; \sigma) &= [I(\mathbf{p}; \sigma - 1) * \Phi(\mathbf{p})] \downarrow_2 \quad \sigma = 1, \dots, s, \end{aligned} \quad (5)$$

where $\Phi(\mathbf{p})$ is the Gaussian kernel (0.5 is used as the standard deviation in our experiments), \otimes denotes the convolution operator, \downarrow_2 denotes half size downsampling, and s is the number of pyramid layers. Note that in (5) the notation I is used both for the original image and the images at different scales for convenience.

Then, the gradient orientation at each pixel σ is defined by its normalized gradient vectors at each pixel.

$$g(I(\mathbf{p}; \sigma)) = \begin{cases} \frac{\nabla(I(\mathbf{p}; \sigma))}{|\nabla(I(\mathbf{p}; \sigma))|} & \text{if } |\nabla(I(\mathbf{p}; \sigma))| > \tau \\ (0, 0)^\top & \text{otherwise} \end{cases}, \quad (6)$$

where τ is a threshold for dealing with “flat” pixels. The *gradient orientation pyramid* (GOP) of I , is naturally defined as $\mathcal{G}(I) = \text{stack}(\{g(I(\mathbf{p}; \sigma))\}_{\sigma=0}^s) \in \mathbb{R}^{d \times 2}$ that maps I to a $d \times 2$ representation, where $\text{stack}(\cdot)$ is used for stacking gradient orientations of all pixels across all scales and d is the total number of pixels. Fig. 2 illustrates the computation of a GOP from an input image.

C. Kernels Between GOPs

Given an image pair (I_1, I_2) and corresponding GOPs $(G_1 = \mathcal{G}(I_1), G_2 = \mathcal{G}(I_2))$, the feature vector $\mathbf{x} = \mathcal{F}(I_1, I_2)$ is computed as the cosines of the difference between gradient orientations at all pixels over scales.

$$\mathbf{x} = \mathcal{F}(I_1, I_2) = (G_1 \odot G_2) \begin{bmatrix} 1 \\ 1 \end{bmatrix}, \quad (7)$$

where \odot is the element-wise product. Next, we apply the Gaussian kernel to the extracted feature \mathbf{x} to be used with

the SVM framework. Specifically, our kernel is defined as

$$K(x_1, x_2) = \exp(-\gamma|x_1 - x_2|^2), \quad (8)$$

where γ is a parameter determining the size of RBF kernels ($\gamma = \frac{1}{d}$ is used in our experiments). In the rest of the paper, we use SVM+GOP to indicate the proposed approach.

The proposed SVM+GOP approach demonstrates excellent performance in our experiments (Section III). In the following we summarize its advantages:

- Being a discriminative method, SVM+GOP tackles face identification problem directly. This way, it not only avoids the potential instability brought by age estimation and simulation, but also requires less prior information about photos under comparison. Consequently, the proposed approach is more applicable than previously proposed generative methods (see the Introduction).
- GOP is insensitive to illumination changes [6]. As a result, no normalization is needed on the input images.
- As shown in the preliminary study [19] using anatomic studies of skin color over age, gradient orientation is fairly robust across age progression for face verification tasks where high resolution images are avoided.
- The pyramid technique provides a natural way to perform face comparison at different scales.
- As demonstrated in our experiments (Sec. III), the proposed GO+SVM and GOP+SVM significantly outperform most of its competitors. The performances of two commercial systems are similar to our proposed methods. However, our methods are much simpler than these commercial systems and have potential to be combined with other approaches to further boost the performance.

III. FACE VERIFICATION EXPERIMENTS

A. Experimental Setup

Datasets. We conduct face verification experiments on three databases: two passport databases, named Passport I and Passport II, and the FGnet database [1]. All datasets are dominated by Caucasian descendants. Details of these databases are given in the following subsections.

In our experiments, the images are preprocessed using the same scheme as in [30]. This includes manual eye location labelling, alignment by eyes and cropping with an elliptical region. For computational reasons, image sizes are reduced to 96×84 for Passport I, 72×63 for Passport II, and 96×84 for the FGnet database. To alleviate the alignment problem, we tried different alignments with small shifts (up to two pixels), using the shift that led to greatest image similarity. In our experiments this improved performance by around 0.5% (equal error rate). A similar technique is used by [21].

Approaches. We compared the following approaches. 1) SVM+GOP: the approach proposed in this paper. 2) SVM+GO: this is similar to SVM+GOP, except that only the gradient orientation (GO) at the finest scale is used without a hierarchical representation. 3) SVM+G: this one is similar to SVM+GO, except that the gradient (G) itself is used instead of gradient orientation. It can also be viewed as weighting gradient orientations with gradient magnitudes. 4) SVM+diff

[27]. As in [27], we use the differences of normalized images as input features combined with SVM. 5) GO: this is the method using gradient orientation proposed in [6]. 6) l_2 : this is a baseline approach that uses the l_2 norm to compare two normalized images. 7) Bayesian+PFF [30]. This is the approach combining Bayesian framework [22] and PointFive Face (PFF) [30]. In addition, two commercial systems are tested on the datasets, which we will name Vendor A and Vendor B¹.

The first four approaches use exactly the same configurations and the same SVM framework, but different representations. The purpose is to study the value of the proposed GOP representation. The other five approaches are different from our method in both representations and classification frameworks. For intensity based representations (i.e., l_2 , SVM+G, SVM+diff), the image intensities are first normalized (by subtracting mean intensities and dividing by the standard deviation of intensities) to achieve affine invariance.

Experimental evaluation. The performance of algorithms is evaluated using the CRR-CAR curves that are usually created by varying some classifier parameters. We used three-fold cross validation in our experiments. For each experiment, the CRR-CAR curve is created by adjusting parameter Δ in (2). The total performance is evaluated as the average of the output CRR-CAR curves of three folds. For Vendor A and B, all original color images are input to their systems. To compare with Bayesian+PFF, we also test SVM+GOP in the experimental setup according to [30], i.e., we use 200 positive and 200 negative pairs as a training set. We also use equal error rates for evaluation.

B. Experiments with Passport Datasets

We tested the proposed approach on two real passport image datasets, which we will refer to as Passport I and Passport II respectively. Passport I is the dataset used in [30]. It contains 452 intra-personal image pairs (several duplicate pairs were removed) and 2,251 randomly generated extra-personal image pairs. Passport II contains 1,824 intra-personal image pairs and 9,492 randomly generated extra-personal image pairs. The extra-personal pairs are generated in the way such that there is no overlapping of subjects between training and testing sets (during cross validation), as in [30]. Images in both datasets are scanned passport images. They are in general frontal images with small pose variations. The lighting condition varies, and can be non-uniform and saturated. The age differences between image pairs are summarized in Table I. It shows that both datasets have significant age gaps for intra-personal images. Fig. 3 further shows the distribution of age differences of intra-personal pairs in the datasets. Intuitively, Passport II is more challenging than Passport I for verification tasks because of the relatively larger age differences. Furthermore, we observed that the image resolution change in Passport II is also larger than that in Passport I.

Fig. 4 and Fig. 5 show the CRR-CAR curves for the experiments. In addition, Table II lists the equal error rates

¹Anonymous due to agreements with the companies.

TABLE I
PASSPORT DATASETS FOR FACE VERIFICATION TASKS. "STD." IS SHORT FOR STANDARD DEVIATION.

Dataset	# intra pair	mean age	std. age	mean age diff.	std. age diff.
Pass. I	452	39	10	4.27	2.9
Pass. II	1824	48	14.7	7.45	3.2




Fig. 3. Distribution of age differences in the passport image databases. Left: Passport I. Right: Passport II.

(i.e. when $CRR=CAR$). There are several observations from the experimental results.

First, among the SVM-based approaches, GOP works the best. The gradient direction obviously plays a main role in GOP's excellent performance, since both SVM+GOP and SVM+GO largely outperform SVM+G, which includes the gradient magnitude information. In comparison, the use of a hierarchical structure in GOP further improves upon GO.

Second, SVM+GO greatly outperforms GO. Note that, for face verification, SVM+diff is previously used in [27] and GO is previously used in [6]. This shows that our method, as a combination of these two, greatly improves both of them.

Third, SVM+GOP outperforms the Bayesian approach [30] on both datasets. In addition, from Fig. 5 it is obvious that SVM+GOP is more suitable for passport verification tasks because it performs much better at a high correct reject rate, which is desired as mentioned in Sec. II-A. Furthermore, given an image pair, our approach does not require the information of which one is older, which is used in the Bayesian approach as a prior.

Fourth, on Passport I, SVM+GOP performs similarly to Vendor A while much better than Vendor B, while on Passport II, SVM+GOP outperforms Vendor A but performs worse than Vendor B (interestingly, the ranks of Vendor A and Vendor B alternate). This observation shows that, though very simple, our approach performs close to commercial systems, which combine many additional heuristic techniques and are well tuned. Furthermore, only low resolution gray images are used in our approach, while the original color images are used in both commercial systems.

C. Experiments on the FGnet Database

The FGnet Aging Database [1] is widely used for research of age related facial image analysis. The database contains 1002 images from 82 subjects, over large age ranges. Consequently, there is an average of 12 images per subject in the FGnet database, which is much more than that in the passport databases (only two images per subject). This property makes the FGnet very useful for age progression study such as estimation and simulation. All images in the database are




Fig. 5. CRR-CAR curves for experiments with 200 intra- and 200 extra-pairs for training.




Fig. 6. Distribution of age differences in the FGnet dataset.

annotated with landmark points, age information, and pose information.

We use a subset of the FGnet database that contains only images that are taken above age 18 (including 18) and roughly frontal, which is consistent with the study on the passport databases and in [30]. The effects of aging in children are quite different, and we discuss them in Section V. For notational convenience, we still call this subset FGnet in the following. The subset contains 272 images from 62 subjects. Age statistics of FGnet are shown in Table III and Fig. 6.

We emphasize the importance of experiments on FGnet due to the following reasons:

- FGnet is very challenging for our task in two ways. First, it contains much larger age gaps. The largest gap is 45 years in FGnet, compared to 12 years in the passport databases. Second, the number of subjects is very limited, which makes learning very difficult.
- Since FGnet is a publicly available dataset, experiments on FGnet will serve as a benchmark/baseline for future studies on the topic.

TABLE III
FGNET DATABASE USED IN FACE VERIFICATION TASKS. "STD." IS SHORT FOR STANDARD DEVIATION.

# subject	# intra pair	mean age	std. age	mean age diff.	std. age diff.
62	665	29.5	11.3	12.3	9.7

For verification tasks, we generate 665 intra-personal pairs by collecting all image pairs from same subjects. Extra-personal pairs are randomly selected from images from different subjects. Three-fold cross validation is used, such that




Fig. 4. CRR-CAR curves for three-fold cross validation experiments. Top: on Passport I. Bottom: on Passport II. This figure is better viewed in color.

TABLE II

EQUAL ERROR RATES. LEFT TABLE: EXPERIMENTS OF THREE-FOLD CROSS VALIDATION. RIGHT TABLE: EXPERIMENTS USING 200 INTRA- AND 200 EXTRA-PAIRS AS TRAINING, AS IN [30].

	GO [6]	SVM+diff [27]	SVM+G	SVM+GO	SVM+GOP	Vendor A	Vendor B	SVM+GOP	Bayesian [30]
Pass. I	17.6%	16.5%	17.8%	9.5%	8.9%	9.5%	11.5%	5.1%	8.5%
Pass. II	20.7%	18.8%	17.4%	12.0%	11.2%	13.5%	8.0%	10.8%	12.5%

in each fold images from the same subject never appear in both training and testing pairs. Each fold contains about 220 intra-personal pairs and 2,000 extra-personal pairs.

The experimental results are shown in Fig. 7 and Table IV². Examples of correct as well as incorrect classification for intra-personal pairs are shown in Fig. 8. The results indicate that, again, the proposed approach outperforms all others. In addition, we also tried combining SVM+GOP with the PointFive Face approach [30] but observed no improvement. This confirms to some degree that our method is insensitive to illumination change, because PointFive Face is designed to be robust to illumination variations.

TABLE IV

EQUAL ERROR RATES FOR EXPERIMENTS ON THE FGNET DATABASE [1].

	l_2	GO	SVM+diff	SVM+G	SVM+GO	SVM+GOP
EER	40.6%	32.3%	31.2%	28.5%	25.2%	24.1%

IV. EFFECTS OF AGE PROGRESSION ON VERIFICATION PERFORMANCE

In this section we empirically study how verification performance is affected by age gaps and related issues, including image quality, presence of eye glasses, and facial hair.

A. Effects of Age Gaps

We are interested in how age differences affect the performance of machine verification algorithms. Taking advantage of the large number of image pairs in Passport II, an empirical study of this problem is conducted.

²The commercial systems were not available for testing in this experiment.




Fig. 7. CRR-CAR curves for three-fold cross validation experiments on FGnet dataset. This figure is better viewed in color.

First, intra-personal image pairs are grouped into four classes according to their age gaps. Specifically, these are groups with age gaps from 0 to 2 years, 3 to 5 years, 6 to 8 years, and 9 to 11 years. The goal is to test verification performance for different groups. Specifically, we use the average equal error rates as a criterion. For each group, 80 intra pairs and 80 extra pairs are randomly selected as the training set. Testing sets are created similarly but with 15 intra pairs and 15 extra pairs. There is no overlap between training and testing sets. After that, four SVM-based approaches are tested on the data sets and equal error rates are recorded. To




Fig. 8. Example results of SVM+GOP on the FGnet datasets at the equal error rate. (a-c) Three correctly accepted intra-personal pairs. (d-f) Three incorrectly rejected intra-personal pairs. The listed years indicate age gaps in the corresponding pairs.




Fig. 9. Effect of aging on verification performance. The curves are shifted a bit along the x axis for better illustration.

reduce the variance caused by the lack of training samples, 20 different training/testing sets are generated and the average equal error rates are recorded. The above experiments have been run 50 times with randomly chosen training/testing sets (i.e., 50×20 training/testing sets). Finally, the mean and standard deviation of equal error rates are summarized to evaluate the performance.

Fig. 9 shows the performance of the experiments on all four groups. From the plots, we found that faces separated by more than a year are more difficult than those within one year. What surprised us is that the difficulty becomes saturated after the age gap is larger than four years. This phenomenon is observed on all four different representations tested in the experiments.

B. Effects of Age Related Issues

When comparing two images of the same person taken at different years, several non-anatomic issues often happen in practice. The FGnet dataset has detailed descriptions associated with each image. Using these descriptions, we analyze the verification results on the FGnet dataset to study the effects of the following three issues: 1) *Quality*, photos taken a long time ago sometimes have poor quality due either to the photographic environment or scanning artifacts. An intra-personal pair is treated as *high* quality if both photos have




Fig. 10. Error analysis of face verification experiments on the FGnet dataset.

good image quality and *low* otherwise. 2) *Glasses*: an intra-personal pair is treated as *different* if one photo has spectacles and the other does not. Otherwise, the pair is treated as *same*. 3) *Facialhair*: an intra-personal pair is treated as *without* facial hair if none of photos has facial hair (including mustache and beard). Otherwise, the pair is treated as *with* facial hair.

Once we have assigned each intra-pair with the above labels, we can compare the error verification rate for each label and then compare how related issues affect verification algorithms. For example, the error rate of *high* (quality) inner-pairs is calculated as

$$1 - \frac{\# \text{ correctly classified high quality intra-pairs}}{\# \text{ high quality intra-pairs}}$$

Fig. 10 shows the error rates of different labels. These error rates are computed using SVM+GOP on the FGnet dataset and taken at the equal error rates (see Section III). From the figure, we see that low quality and spectacles do increase the difficulties for face verification. However, the proposed SVM+GOP seems to be robust to the presence of facial hair. One reason to this observation is, though facial hair sometimes adds difficulties to verification tasks, they often provide discriminative cues as well. For example, some people have similar beard styles over the years.

V. FACE VERIFICATION ACROSS AGING IN CHILDREN

The appearance changes of human faces are very different in children than in adults [29]. In this paper we mainly focus on face images taken above age 18, after which face profiles remain stable [29]. However, it is helpful to understand the performance of the above tested methods on faces from children as well. In this section, we report our experiments on the children face images from the FGnet dataset.

We first extract two face datasets from FGnet, in the same way as in Sec. III-C. One dataset, named *FGnet-18*, contains 311 face images from 79 subjects, taken at ages in the range [8 18]. The other dataset, named *FGnet-8*, contains 290 face images from 74 subjects, taken at ages in the range [0 8].

For verification tasks, we follow the same scheme as in Sec. III-C; we generate 577 intra-personal pairs and 6,000 extra-personal pairs for *FGnet-18*, and 580 intra-personal pairs and 6,000 extra-personal pairs for *FGnet-8*. Three-fold cross validations are conducted for each dataset. Then, the average EERs and CRR-CAR curves are reported in Table V and Fig. 11.

From these experiments, we have the following observations. First, the verification tasks for childrens' faces are much harder than for adult faces. This is clear when we compare




Fig. 11. CRR-CAR curves for three-fold cross validation experiments on the children images of the FGnet dataset. These figures are better viewed in color.

TABLE V
EQUAL ERROR RATES FOR EXPERIMENTS ON THE CHILDREN IMAGES OF
FGNET DATABASE [1].

	l_2	GO	SVM+diff	SVM+G	SVM+GO	SVM+GOP
FGnet-18	42.9%	40.9%	32.3%	36.1%	30.7%	30.5%
FGnet-8	44.0%	44.6%	36.2%	40.0%	39.8%	38.6%

results in Table V and Table IV. Second, gradient orientation based methods still work well for age changes of teenagers, though the hierarchical information does not help much any more. Third, the task becomes extremely difficult for small children with ages from 0 to 8, where all methods work poorly.

The major challenge of verifying children faces across aging comes from the alignment problem, because face profiles undergo large variations before age 18. This explains why the intensity (after normalization) based method, SVM+diff, works relatively better. Generative approaches can provide helpful guidance here, though age information is often requested. It is an interesting future direction to combine generative and discriminative approaches for this task.

VI. CONCLUSION AND DISCUSSION

In this paper we studied the problem of face verification with age variation using discriminative methods. First, we proposed a robust face descriptor, the gradient orientation pyramid, for face verification tasks across ages. Compared to previously used descriptors such as image intensity, the new descriptor is more robust and performs well on face images with large age differences. In our experiments with comparison to several techniques, the new approach demonstrated very promising results on two challenging passport databases and the FGnet dataset. In addition, being a discriminative approach, the proposed method requires no prior age knowledge and does not rely on age estimation and simulation algorithms.

Second, the effect of the aging process on verification algorithms are studied empirically. In the experiments we observed that the difficulty of face verification algorithms saturated after the age gap is larger than four years (up to ten years). We also studied the effects of age related issues including image quality, presence of spectacles, and facial hair.

We plan to investigate several directions in our future work. First of all, testing on a large public dataset will be conducted for deeper understanding of the proposed approaches. We plan to work on the MORPH dataset [33] for this purpose. Second, we plan to apply other discriminative approaches (e.g., boosting) for simultaneous feature analysis and classification.

ACKNOWLEDGEMENT

We thank Rama Chellappa for helpful comments and Sameer Shirdhonkar for help on experiments. The authors would like to thank the editors and all anonymous reviewers for their constructive comments on the early versions of this paper. Ling, Ramanathan, and Jacobs were supported in part by a fellowship from Aaptis Inc.. Ling and Soatto were supported in part by ONR 67F-1080868 and NSF ECS-0622245. Jacobs gratefully acknowledges financial support from a Honda Research Initiation Grant and from the Office of Naval Research Under the MURI Grant N00014-08-10638.

REFERENCES

- [1] "Face and gesture recognition working group," 2000. [Online]. Available: <http://www-prima.inrialpes.fr/FGnet/>
- [2] L. Alvarez, F. Guichard, P. L. Lions, and J. M. Morel, "Axioms and fundamental equations of image processing," *Archive for Rational Mechanics and Analysis*, vol. 123, no. 3, pp. 199–257, 1993. [Online]. Available: <http://www.springerlink.com/content/t6h8523k61074131>
- [3] M. Bichsel, "Strategies of robust object recognition for the automatic identification of human faces," Ph.D. dissertation, ETH Zurich, 1991.
- [4] S. Biswas, G. Aggarwal, N. Ramanathan, and R. Chellappa, "A non-generative approach for face recognition across aging," *Biometrics: Theory, Applications and Systems, 2008. BTAS 2008. 2nd IEEE International Conference on*, pp. 1–6, 29 Oct. 1 2008.

- [5] C.-C. Chang and C.-J. Lin, "Libsvm : a library for support vector machines," 2001. [Online]. Available: <http://www.csie.ntu.edu.tw/~cjlin/libsvm>
- [6] H. Chen, P. Belhumeur, and D. Jacobs, "In search of illumination invariants," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, vol. 1, 2000, pp. 254–261.
- [7] N. Dalal and B. Triggs, "Histograms of oriented gradients for human detection," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, vol. 1, 2005, pp. 886–893.
- [8] Y. Fu and T. S. Huang, "Human age estimation with regression on discriminative aging manifold," *IEEE Transactions on Multimedia*, vol. 10, no. 4, pp. 578–584, 2008.
- [9] X. Geng, Z.-H. Zhou, and K. Smith-Miles, "Automatic age estimation based on facial aging patterns," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 29, no. 12, pp. 2234–2240, 2007.
- [10] G. Guo, Y. Fu, C. R. Dyer, and T. S. Huang, "Image-based human age estimation by manifold learning and locally adjusted robust regression," *IEEE Transactions on Image Processing*, vol. 17, no. 7, pp. 1178–1188, 2008.
- [11] G. Guo, G. Mu, Y. Fu, and T. S. Huang, "Human age estimation using bio-inspired features," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2009.
- [12] D. K. Hammond and E. P. Simoncelli, "Nonlinear image representation via local multiscale orientation," Courant Institute Technical Report, New York University, Tech. Rep. TR2005-875, 2005.
- [13] K. Jonsson, J. Kittler, Y. Li, and J. Matas, "Support vector machines for face authentication," *Image Vision Comput.*, vol. 20, no. 5-6, pp. 369–375, 2002.
- [14] Y. H. Kwon and N. da Vitoria Lobo, "Age classification from facial images," *Computer Vision and Image Understanding*, vol. 74, no. 1, pp. 1–21, 1999.
- [15] A. Lanitis, C. Draganova, and C. Christodoulou, "Comparing different classifiers for automatic age estimation," *IEEE Trans. Syst Man Cybern B Cybern*, vol. 34, no. 1, pp. 621–628, February 2004.
- [16] A. Lanitis, "Comparative evaluation of automatic age-progression methodologies," *EURASIP J. Adv. Signal Process*, vol. 8, no. 2, pp. 1–10, 2008.
- [17] —, "Evaluating the performance of face-aging algorithms," in *International Conference on Face & Gesture Recognition (FG)*, 2008.
- [18] A. Lanitis, C. J. Taylor, and T. F. Cootes, "Toward automatic simulation of aging effects on face images," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 24, no. 4, pp. 442–455, 2002.
- [19] H. Ling, S. Soatto, N. Ramanathan, and D. W. Jacobs, "A study of face recognition as people age," in *Proceedings of the International Conference on Computer Vision (ICCV'07)*, 2007.
- [20] D. G. Lowe, "Distinctive image features from scale-invariant keypoints," *Int. J. Comput. Vision*, vol. 60, no. 2, pp. 91–110, 2004.
- [21] A. M. Martínez, "Recognizing imprecisely localized, partially occluded, and expression variant faces from a single sample per class," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 24, no. 6, pp. 748–763, 2002.
- [22] B. Moghaddam and A. Pentland, "Probabilistic visual learning for object representation," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 19, no. 7, pp. 696–710, 1997.
- [23] B. Moghaddam, W. Wahid, and A. Pentland, "Beyond eigenfaces: Probabilistic matching for face recognition," in *International Conference on Face & Gesture Recognition (FG)*, 1998, pp. 30–35.
- [24] A. Montillo and H. Ling, "Age regression from faces using random forests," in *IEEE International Conference on Image Processing*, 2009, to appear.
- [25] U. Park, Y. Tong, and A. K. Jain, "Face recognition with temporal invariance: A 3d aging model," in *International Conference on Face & Gesture Recognition (FG)*, 2008.
- [26] E. Patterson, A. Sethuram, M. Albert, K. Ricanek Jr., and M. King., "Aspects of age variation in facial morphology affecting biometrics," in *Biometrics: Theory, Applications and Systems, 2007. BTAS 2007. 2nd IEEE International Conference on*, 2007, pp. 1–6.
- [27] P. J. Phillips, "Support vector machines applied to face recognition," in *Advances in Neural Information Processing Systems 16 (NIPS)*, vol. 2, 1999, pp. 803–809.
- [28] P. J. Phillips, H. Moon, S. A. Rizvi, and P. J. Rauss, "The feret evaluation methodology for face-recognition algorithms," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 22, no. 10, pp. 1090–1104, 2000.
- [29] J. B. Pittenger and R. E. Shaw, "Aging faces as viscal-elastic events: Implications for a theory of nonrigid shape perception," *J. of Exp. Psychology: Human Perception and Performance*, vol. 1, no. 4, pp. 374–382, 1975.
- [30] N. Ramanathan and R. Chellappa, "Face verification across age progression," *IEEE Transactions on Image Processing*, vol. 15, no. 11, pp. 3349–3361, 2006.
- [31] —, "Modeling age progression in young faces," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, vol. 1, 2006, pp. 387–394.
- [32] —, "Modeling shape and textural variations in aging faces," in *International Conference on Face & Gesture Recognition (FG)*, 2008.
- [33] K. Ricanek Jr. and T. Tesafaye, "Morph: A longitudinal image database of normal adult age-progression," in *Seventh IEEE International Conference on Automatic Face and Gesture Recognition (FG 2006), 10-12 April 2006, Southampton, UK*, 2006, pp. 341–345.
- [34] R. Singh, M. Vatsa, A. Noore, and S. K. Singh, "Age transformation for improving face recognition performance," in *Second International Conference on Pattern Recognition and Machine Intelligence (PRMI)*, 2007, pp. 576–583.
- [35] J. Suo, S. Zhu, S. Shan, and X. Chen, "A compositional and dynamic model for face aging," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 99, no. 5, 2009.
- [36] J. Suo, X. Chen, S. Shan, and W. Gao, "Learning long term face aging patterns from partially dense aging databases," in *Proceedings of the International Conference on Computer Vision (ICCV'09)*, 2009, pp. 622–629.
- [37] N. Tsumura, H. Haneishi, and Y. Miyake, "Independent component analysis of skin color image," *Journal of Optical Society of America A*, vol. 16, pp. 2169–2176, 1999.
- [38] N. Tsumura, N. Ojima, K. Sato, M. Shiraishi, H. Shimizu, H. Nabeshima, S. Akazaki, K. Hori, and Y. Miyake, "Image-based skin color and texture analysis/synthesis by extracting hemoglobin and melanin information in the skin," *ACM Trans. Graph.*, vol. 22, no. 3, pp. 770–779, 2003.
- [39] V. Vapnik, *The Nature of Statistical Learning Theory*. New York, NY: Springer, 1995.
- [40] J. Wang, Y. Shang, G. Su, and X. Lin, "Age simulation for face recognition," in *18th International Conference on Pattern Recognition (ICPR'06)*, 2006, pp. 913–916.
- [41] S. Yan, H. Wang, X. Tang, and T. S. Huang, "Learning auto-structured regressor from uncertain nonnegative labels," in *Proceedings of the International Conference on Computer Vision (ICCV'07)*, 2007.
- [42] W. Zhao, R. Chellappa, P. J. Phillips, and A. Rosenfeld, "Face recognition: A literature survey," *ACM Comput. Surv.*, vol. 35, no. 4, pp. 399–458, 2003.
- [43] S. K. Zhou, B. Georgescu, X. S. Zhou, and D. Comaniciu, "Image based regression using boosting method," in *IEEE International Conference on Computer Vision (ICCV)*, vol. 1, 2005, pp. 541–548.